

# Code Examples for sending SMS

---

Get started instantly. You can copy & paste the code examples below for use with our SMS API Gateway.

JavaPHPC#/.NetC++/CLICVB.NETASPRUBY

## Code Example for sending SMS - Java

```
import java.io.BufferedReader;
import java.io.IOException;
import java.io.InputStreamReader;
import java.io.UnsupportedEncodingException;
import java.net.URL;
import java.net.URLConnection;
import java.net.URLEncoder;

// Simple send SMS programm
public class SendSMS {
    public static String sendSMS(String username, String password, String to, String
message, String originator) {
        String url;
        StringBuilder inBuffer = new StringBuilder();
        try {
            url = "http://api.textmarketer.co.uk/gateway/" +
                "?username=" + username + "&password=" + password + "&option=xml" +
                "&to=" + to + "&message=" + URLEncoder.encode(message, "UTF-8") +
                "&orig=" + URLEncoder.encode(originator, "UTF-8");
        } catch (UnsupportedEncodingException e) {
            return null;
        }
        try {
            URL tmUrl = new URL(url);
            URLConnection tmConnection = tmUrl.openConnection();
            tmConnection.setDoInput(true);
            BufferedReader in = new BufferedReader(new
InputStreamReader(tmConnection.getInputStream()));
            String inputLine;
            while ((inputLine = in.readLine()) != null)
                inBuffer.append(inputLine);
            in.close();
        } catch (IOException e) {
            return null;
        }
        return inBuffer.toString();
    }
    public static void main(String[] args) {
        // Example of use
        String response = sendSMS("myUsername", "myPassword", "4477777777", "My test
message", "TextMessage");
        System.out.println(response);
    }
}
```

### Code Example for sending SMS - PHP

```
<?php
    // Simple SMS send function
    function sendSMS($username, $password, $to, $message, $originator) {
        $URL =
'http://api.textmarketer.co.uk/gateway/'. "?username=$username&password=$password&opt
ion=xml";
        $URL .=
"&to=$to&message=".urlencode($message).'&orig='.urlencode($originator);
        $fp = fopen($URL, 'r');
        return fread($fp, 1024);
    }
    // Example of use
    $response = sendSMS('myUsername', 'myPassword', '4477777777', 'My test message',
'TextMessage');
    echo $response;?>
```

### Code Example for sending SMS - C#/NET

```
using System;
using System.IO;
using System.Net;
using System.Text;
using System.Web;

namespace SendSMS {
    class Program {
        public static string SendSMS(string username, string password, string to,
string message, string originator) {
            StringBuilder sb = new StringBuilder();
            byte[] buf = new byte[1024];
            string url = "http://api.textmarketer.co.uk/gateway/" +
                "?username=" + username + "&password=" + password + "&option=xml" +
                "&to=" + to + "&message=" + HttpUtility.UrlEncode(message) +
                "&orig=" + HttpUtility.UrlEncode(originator);
            HttpWebRequest request = (HttpWebRequest)WebRequest.Create(url);
            HttpWebResponse response = (HttpWebResponse)request.GetResponse();
            Stream resStream = response.GetResponseStream();
            string tempString = null;
            int count = 0;
            do {
                count = resStream.Read(buf, 0, buf.Length);
                if (count != 0) {
                    tempString = Encoding.ASCII.GetString(buf, 0, count);
                    sb.Append(tempString);
                }
            } while (count > 0);
            return sb.ToString();
        }
        static void Main(string[] args) {
            string respXML = SendSMS("myUsername", "myPassword", "4477777777", "My
test message", "TextMessage");
            Console.WriteLine(respXML);
        }
    }
}
```

### Code Example for sending SMS - C++

```
#include <iostream>
#include <string>
using <System.Dll>
using <System.Web.Dll>

using namespace std;
using namespace System;
using namespace System::Web;
using namespace System::Net;
using namespace System::IO;
using namespace System::Runtime::InteropServices;

ref class SMSSender
{
private:
    static String^ Username = "myUsername";
    static String^ Password = "myPassword";

public:
    SMSSender()
    {}
    String^ SendSMS(String^ To, String^ Message, String^ From)
    {
        Message = HttpUtility::UrlEncode(Message);
        From = HttpUtility::UrlEncode(From);
        String^ URL =
"http://api.textmarketer.co.uk/gateway/?&option=xml&username=" + Username +
"&password=" + Password + "&message=" + Message + "&orig=" + From + "&to=" + To;
        WebRequest^ Handle = WebRequest::Create(URL);
        WebResponse^ HTTPResponse = Handle->GetResponse();
        StreamReader^ Stream = gcnew
StreamReader(HTTPResponse->GetResponseStream());
        String^ Response = Stream->ReadToEnd()->Trim();
        HTTPResponse->Close();
        return Response;
    }
};

int main() {
    SMSSender^ test = gcnew SMSSender();
    String^ resp = test->SendSMS("4477777777", "My test message",
"TextMessage");
    Console::WriteLine(resp);
    return 0;
}
```

### Code Example for sending SMS - C

```
/* * Send SMS C/C++ example need curl lib download from http://curl.haxx.se/ */

#include <stdio.h>
#include <tchar.h>
```

```

#include <string.h>
#include <curl/curl.h>
#define URLSIZE 256

struct MemoryStruct {
    char *memory;
    size_t size;
};

/* Converts a hex character to its integer value */

char from_hex(char ch) {
    return isdigit(ch) ? ch - '0' : tolower(ch) - 'a' + 10;
}

/* Converts an integer value to its hex character*/

char to_hex(char code) {
    static char hex[] = "0123456789abcdef";
    return hex[code & 15];
}

/* Returns a url-encoded version of str */

char *url_encode(char *str) {
    char *pstr = str, *buf = (char *)malloc(strlen(str) * 3 + 1), *pbuf = buf;
    while (*pstr) {
        if (isalnum(*pstr) || *pstr == '-' || *pstr == '_' || *pstr == '.'
|| *pstr == '~')
            *pbuf++ = *pstr;
        else if (*pstr == ' ')
            *pbuf++ = '+';
        else
            *pbuf++ = '%', *pbuf++ = to_hex(*pstr >> 4), *pbuf++ =
to_hex(*pstr & 15);
        pstr++;
    }
    *pbuf = '\0';
    return buf;
}

/* CURL Callback write function */

static size_t WriteMemoryCallback(void *contents, size_t size, size_t nmemb, void
*userp) {
    size_t realsize = size * nmemb;
    struct MemoryStruct *mem = (struct MemoryStruct *)userp;
    mem->memory = (char *)realloc(mem->memory, mem->size + realsize + 1);
    if (mem->memory == NULL) {
        /* out of memory! */
        printf("not enough memory (realloc returned NULL)\n");
        exit(EXIT_FAILURE);
    }
    memcpy(&(mem->memory[mem->size]), contents, realsize);
    mem->size += realsize;
    mem->memory[mem->size] = 0;
    return realsize;
}

```

```

/* Send SMS */

char * sendSMS(const char *username, const char *password, const char *to, char
*message, char *originator) {
    static char url[URLSIZE] =
"http://api.textmarketer.co.uk/gateway/?option=xml";
    char *encoded;
    CURL *curl;
    CURLcode res;
    struct MemoryStruct chunk;
    chunk.memory = (char *)malloc(1); /* will be grown as needed by the realloc
above */
    chunk.size = 0; /* no data at this point */
    curl = curl_easy_init();
    if(curl) {
        strcat_s(url, URLSIZE, "&username=");
        strcat_s(url, URLSIZE, username);
        strcat_s(url, URLSIZE, "&password=");
        strcat_s(url, URLSIZE, password);
        strcat_s(url, URLSIZE, "&to=");
        strcat_s(url, URLSIZE, to);
        strcat_s(url, URLSIZE, "&message=");
        encoded = url_encode(message);
        strcat_s(url, URLSIZE, encoded);
        free(encoded);
        encoded = url_encode(originator);
        strcat_s(url, URLSIZE, "&orig=");
        strcat_s(url, URLSIZE, encoded);
        free(encoded);
        curl_easy_setopt(curl, CURLOPT_URL, url);
        /* send all data to this function */
        curl_easy_setopt(curl, CURLOPT_WRITEFUNCTION, WriteMemoryCallback);
        /* we pass our 'chunk' struct to the callback function */
        curl_easy_setopt(curl, CURLOPT_WRITEDATA, (void *)&chunk);
        if((res = curl_easy_perform(curl)) != CURLE_OK) {
            return NULL;
        }
        curl_easy_cleanup(curl);
    }
    return chunk.memory;
}

int main(void) {
    char *response;
    response = sendSMS("myuser", "mypass", "4477777777", "test test test",
"me");
    if(response != NULL) {
        printf(response);
        free(response);
    }
}

```

```

        getChar();
        return 0;
    }

```

### Code Example for sending SMS - VB.NET

```

Imports System.Web

Module Module1
    Public Function SendSMS(ByVal username As String, ByVal password As String,
        ByVal toPhone As String,
        ByVal message As String, ByVal originator As String)
        Dim webClient As New System.Net.WebClient
        Dim url As String = "http://api.textmarketer.co.uk/gateway/?username=" &
            username & "&password=" & password & "&option=xml" &
            "&to=" & toPhone & "&message=" &
System.Web.HttpUtility.UrlEncode(message) &
            "&orig=" & System.Web.HttpUtility.UrlEncode(originator)
        Dim result As String = webClient.DownloadString(url)
        SendSMS = result
    End Function

    Sub Main()
        Dim result As String = SendSMS("myUsername", "myPassword", "4477777777", "My
test message", "TextMessage")
        Console.WriteLine(result)
        Console.ReadKey()
    End Sub
End Module

```

### Code Example for sending SMS - ASP

```

<%@language=JScript%><%
    username = "myUsername";
    password = "myPassword";
    number = "4477777777";
    message = Server.UrlEncode("My test message");
    originator = Server.UrlEncode("TextMessage");
    url = "http://www.textmarketer.biz/gateway/?&option=xml" +
        "&username=" + username + "&password=" + password +
        "&number=" + number + "&message=" + message +
        "&orig=" + originator;
    var objSrvHTTP;
    objSrvHTTP = Server.CreateObject("Msxml2.ServerXMLHTTP");
    objSrvHTTP.open(url, false);
    objSrvHTTP.send();
    Response.ContentType = "text/xml";
    xmlResp = objSrvHTTP.responseXML.xml;
    Response.Write(xmlResp);%>

```

### Code Example for sending SMS - RUBY

```
require 'net/http'
require 'uri'

def send_sms(username, password, to, message, originator)
  requested_url = 'http://api.textmarketer.co.uk/gateway/?option=xml' +
    "&username=" + username + "&password=" + password +
    "&to=" + to + "&message=" + URI.escape(message) +
    "&orig=" + URI.escape(originator)
  url = URI.parse(requested_url)
  full_path = (url.query.blank?) ? url.path : "#{url.path}?#{url.query}"
  the_request = Net::HTTP::Get.new(full_path)
  the_response = Net::HTTP.start(url.host, url.port) { |http|
    http.request(the_request)
  }
  raise "Response was not 200, response was #{the_response.code}" if
the_response.code != "200"
  return the_response.bodyend
resp = send_sms('myUsername', 'myPassword', '4477777777', 'My test message',
'TextMessage')

puts(resp)
```

Our example code is an illustration of how you might integrate with our systems and is not certified for production environments. You are responsible for testing and QA.

- [Next: API Responses](#)
- [Home: Text Marketer Developers Documentation](#)