

deliveryReports GET method

Get a list of available delivery report names.

Example successful response body XML:

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<!DOCTYPE response PUBLIC
"-//textmarketer.co.uk//DTD Web Services REST 1.6//EN"
"http://api.textmarketer.co.uk/services/rest/DTD/deliveryreports_get.dtd">
<response processed_date="2011-04-14T14:42:40+01:00">
  <userdirectory>SIDHOSS7F7FDS89F</userdirectory>
  <reports quantity="30" >
    <report name="GatewayAPI_14-04-11" last_updated="2011-04-
14T12:05:02+01:00" extension="csv"/>
    <report name="myCampaign" last_updated="2011-04-13T12:50:01+01:00"
extension="csv"/>
  </reports>
</response>
```

Response meanings:

XML tag/attribute	Meaning
userdirectory	DEPRECATED – this value no longer has any meaning.
reports	Contains a list of delivery report names, file extension and last-modified dates.
quantity	The number of delivery reports available.
report	Details of an individual delivery report.
name	The name of an individual delivery report.
last_updated	The date that an individual delivery report was last updated, in ISO8601 format. This allows you to determine whether there was a change since you last accessed the report.
extension	DEPRECATED – this value no longer has any meaning

Specific errors: None.

DTD for deliveryReports GET:

```
<?xml version="1.0" encoding="UTF-8"?>
<!--
  PUBLIC ID : -//textmarketer.co.uk//DTD Web Services REST 1.6//EN

  SYSTEM ID :
  http://api.textmarketer.co.uk/services/rest/DTD/deliveryreports_get.dtd
-->
<!ELEMENT response (userdirectory, reports)>
<!ATTLIST response
  processed_date CDATA #REQUIRED
>
<!ELEMENT userdirectory (#PCDATA)>
<!ELEMENT reports (report*)>
<!ATTLIST reports
  quantity CDATA #REQUIRED
>
<!ELEMENT report (#PCDATA) >
<!ATTLIST report
  name CDATA #REQUIRED
  last_updated CDATA #REQUIRED
  extension CDATA #REQUIRED
>
```

[Next: The group resource](#)

[Home: All Documentation](#)