## deliveryReport GET method

Get the contents of an individual delivery report names.

Example successful response body XML:

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<!DOCTYPE response PUBLIC
"-//textmarketer.co.uk//DTD Web Services REST 1.6//EN"
"http://api.textmarketer.co.uk/services/rest/DTD/deliver
yreport_get.dtd">
<response processed_date="2011-04-14T16:11:25+01:00">
 <report name="mycampaign-020411"</pre>
last_updated="2011-04-12T09:25:06+01:00"
extension="csv">
  <reportrow last_updated="2011-04-12T09:21:00+01:00"</pre>
mobile_number="447777000001" message_id="1006454672"
status="DELIVERED"/>
 <reportrow last_updated="2011-04-12T09:21:00+01:00"</pre>
mobile_number="447777000002" message_id="1006454673"
status="DELIVERED"/>
 </report>
</response>
```

## Response meanings:

XML tag/attribute	Meaning
report	Details of the delivery report (can be more than one report tag).
name	The name of the delivery report.
last_updated	The date that an individual delivery report / message status was last updated, in ISO 8601 format. This allows you to determine whether there was a change since you last accessed the report.
extension	DEPRECATED – this value no longer has any meaning
reportrow	The status of an individual message (i.e. to a particular mobile number) within the delivery report.
mobile_number	The mobile number that the message was sent to.
status	The status of the message delivery, PENDING, DELIVERED, REJECTED, FAILED, NON-UK.

## specific errors:

Code	Meaning
0	The custom value must contain only alpha-numeric characters
1	The custom value must be between 1 and 20 characters in length

that status code 404 (not found) is returned if the delivery report does not exist.

## DTD for deliveryReport GET:

```
<?xml version="1.0" encoding="UTF-8"?>
 PUBLIC ID : -//textmarketer.co.uk//DTD Web Services
REST 1.6//EN
 SYSTEM ID :
http://api.textmarketer.co.uk/services/rest/DTD/delivery
report_get.dtd
<!ELEMENT response (report*)>
<!ATTLIST response
 processed_date CDATA #REQUIRED
<!ELEMENT report (reportrow*) >
<!ATTLIST report
 name CDATA #REQUIRED
 last_updated CDATA #REQUIRED
 extension CDATA #REQUIRED
<!ELEMENT reportrow (#PCDATA) >
<!ATTLIST reportrow
 last_updated CDATA #REQUIRED
 mobile_number CDATA #REQUIRED
 message_id CDATA #REQUIRED
 status (DELIVERED | FAILED | REJECTED | PENDING | NON-UK)
#REQUIRED
  custom CDATA #IMPLIED
```